



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241079
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3430	1720	730

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 祝敏



HVR Magnetism Co.,Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241080
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3450	1730	730

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 祝敏



HVR Magnetism Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241081
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3460	1740	745

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 张敏



HVR Magnetism Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241082
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3450	1740	740

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 张敏

STAMP:



HVR Magnetism Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241083
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3460	1740	735

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 张敏

STAMP:



HVR Magnetism Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241084
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3430	1720	735

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE:

张敏

STAMP:



HVR Magnetism Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241085
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3455	1745	745

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 

STAMP:



HVR Magnetcs Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241086
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3460	1740	745

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 祝敏

STAMP:



HVR Magnetism Co.,Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241087
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3450	1730	735

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 张敏

STAMP:



HVR Magnetism Co.Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241088
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3460	1735	730

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 张敏

STAMP:



HVR Magnetism Co.,Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241089
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3455	1740	740

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 祝敏

STAMP:



HVR Magnetism Co.,Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com



TEST REPORT

MODEL: HEPMP-800A-EU
SERIAL NUMBER: HEPM20241090
DATE OF PRODUCTION: 05/2024

PARAMETER:

U	C	P	T	F	H	A	E	L

PERFORMANCE TEST

NOMINAL FORCE (kg)	800		
STEEL THICKNESS (mm)	65		
AIRGAP (mm)	0 mm	1 mm	2 mm
TESTED FORCE (kg)	3460	1745	745

CONTROLLER: wenbinhe

DATE: 22/05/2024

SIGNATURE: 张敏

STAMP:



HVR Magnetism Co.,Ltd
Liyu Industrial Park-Tianyuan District
Zhuzhou city-Hunan-421007-China
TEL: +86 731 2867 9679
FAX: +86 731 2867 9579
EMAIL:info@hvr-magnet.com

MAGBAT-Europe BVBA
Meersbloem Melden 46
9700-Oudenaarde-Belgium
TEL: +32 55 60 40 60
FAX: +32 55 30 03 26
EMAIL:info@magbat-europe.com